AMENDMENT

In the Claims:

Please cancel claims 1-28 and substitute the following claims:

- 44. (New) A recombinant nucleic acid comprising a nucleotide sequence that encodes a polypeptide at least 90% identical to the amino acid sequence of PHOR-1 (SEQ. ID. NO: 2) over its entire length and wherein any amino acid substitutions are conservative substitutions.
- 45. (New) The nucleic acid of claim 44 which encodes a polypeptide having the amino acid sequence of SEQ. ID. NO: 2.
- 46. (New) The nucleic acid of claim 44 wherein the polypeptide is encoded by the cDNA contained in plasmid p101P3A11 deposited with American Type Culture Collection (ATCC) as accession No. PTA-312.
- 47. (New) The nucleic acid of claim 44 which further comprises control sequences to effect production of said PHOR-1 polypeptide.
 - 48. (New) Recombinant cells modified to contain the nucleic acid of claim 47.
- 49. (New) A method to produce a PHOR-1 polypeptide which comprises culturing the cells of claim 48 whereby said PHOR-1 polypeptide is produced.
- 50. (New) The method of claim 49 which further comprises recovering said PHOR-1 polypeptide.
- 51. (New) A PHOR-1 polypeptide which comprises an amino acid sequence at least 90% homologous to the amino acid sequence of SEQ. ID. NO: 2 over its entire length and wherein any amino acid substitutions are conservative substitutions.



52. (New) The PHOR-1 polypeptide of claim 51 which comprises the amino acid sequence of SEQ. ID. NO: 2.

rule

(New) The PHOR-1 polypeptide of claim 51 which is encoded by the cDNA contained in the plasmid designated p101P3A11 deposited with American Type Culture Collection as accession No. PTA-312.

- 54. (New) Antibodies or fragments thereof that specifically bind the PHOR-1 polypeptide of claim 44.
- 55. (New) The antibodies or fragments of claim 54 which are monoclonal antibodies or fragments thereof.
 - 56. (New) The antibodies or fragments of claim 54 labeled with a detectable marker.
- 57. (New) The antibodies or fragments of claim 54 coupled to a toxin or therapeutic agent.
- 58. (New) A method to detect or determine the concentration of a PHOR-1 polypeptide which method comprises contacting a sample to be tested for the presence or concentration of said PHOR-1 polypeptide with the antibodies of claim 54 under conditions whereby a complex is formed between any PHOR-1 present in the sample and said antibodies; and

detecting the presence, amount or absence of said complex.